83rd Bronx-Westchester Christmas Bird Count December 23, 2006

The Bronx-Westchester CBC has seen well over 220 different species.

The Bronx-Westchester Christmas Bird Count was held Saturday December 23, 2006. Over 70 volunteers searched the sound, rivers, ponds, lakes, woods and meadows throughout southern Westchester and the Bronx identifying and counting all the birds they encountered. 116 species were identified tallying 46,251 birds.

The forecast called for rain all day, but the rain ended just after daybreak and the sun came out in the afternoon. The warm weather leading up to the count resulted in low numbers of ducks and many other species. Lakes remained unfrozen to our north and many ducks



BRONX-WESTCHESTER

CHRISTMAS BIRD COUNT

stayed north. Local birds took advantage of the weather by staying spread out and did not concentrate themselves in prime habitat. The weather did result in many rare sightings.

The female **Rufous Hummingbird** remained at Lenoir Nature Preserve to make it to the count. A **Pacific Loon** was reported off Orchard Beach, but unfortunately could not be found and confirmed the next day. A **Lesser Yellowlegs** in the East Bronx was the counts 9th record.

Three species of warblers were found. Two **Orange-crowned Warblers** were in Pelham Bay Park. A **Nashville Warbler** was near the power line path in Greenburgh. And an **American Redstart** was found at Half-Moon Overlook, just above Spuyten Duyvil in the Bronx.

Wave Hill had an **Indigo Bunting** and a **Baltimore Oriole** was nearby in Riverdale. A possible "pink-sided" Junco was glimpsed on the Old Croton Aqueduct in Tibbetts Brook Park, Yonkers. The bird also could not be relocated.

Other highlights included **Surf** and **Black Scoters**, along with a **Northern Gannet** in the Sound. An immature **Bald Eagle** was seen from the marina in Yonkers.

Low numbers were recorded for Canada Goose, Wood Duck, American Black Duck, Mallard and Common Goldeneye while Monk Parakeets and American Robin set new high counts. Species missed (not seen) were Ring-necked Duck, American Coot, Yellow-rumped Warbler, and Savannah Sparrow. - Michael Bochnik, Compiler

Thanks to all participants. The complete compilation results are attached.

The next count will be on **SUNAY**, **December 23**, **2007** Michael Bochnik (914) 2379331

BochnikM@cs.com

| Species | Hudson Valley | Yonkers | West Bronx | East Bronx | Scarsdale | Rye | Total | |
|-------------------------|------------------|---------|---------------|---------------|-----------|-----|-------|---------------------------------|
| Snow Goose (white form) | | | | | 1 | 1 | 2 | |
| Brant | | | | 709 | 30 | 736 | 1475 | |
| Canada Goose | 165 | 178 | 692 | 365 | 1662 | 619 | 3681 | 29-year Low |
| Mute Swan | | 5 | 2 | 21 | 60 | 80 | 168 | |
| Wood Duck | | 2 | 1 | | 1 | | 4 | 24-year Low |
| Gadwall | | | | 25 | | 50 | 75 | |
| American Wigeon | | | | 19 | 132 | 122 | 273 | |
| American Black Duck | 2 | 12 | 4 | 295 | 143 | 183 | 639 | 75-year Low |
| Mallard | 45 | 125 | 268 | 140 | 321 | 423 | 1322 | 23-year Low |
| Mallard hybrid | 1 | | 1 | | 1 | 5 | 8 | |
| Northern Shoveler | | 3 | 2 | | 42 | | 47 | |
| Northern Pintail | | | | | | 1 | 1 | |
| Green-winged Teal (Am.) | | | 2 | | 16 | 8 | 26 | |
| Canvasback | | | 2 | 2 | | 8 | 12 | |
| Redhead | | | | 1 | | | 1 | |
| Greater Scaup | | | | 9650 | | 402 | 10052 | |
| Lesser Scaup | | | | | | 103 | 103 | |
| scaup, sp | | | | | 200 | | 200 | |
| Surf Scoter | | | | 1 | | 5 | 6 | |
| White-winged Scoter | | | | CW | | CW | CW | |
| Black Scoter | | | | | | 2 | 2 | |
| Long-tailed Duck | | | | | | 59 | 59 | |
| Bufflehead | 1 | | | 363 | 117 | 184 | 665 | |
| Common Goldeneye | | 3 | | 22 | | 20 | 45 | All Time Low Count (52 in 1941) |
| Hooded Merganser | 2 | 33 | 12 | 14 | 58 | 33 | 152 | |
| Common Merganser | 1 | 21 | | | 5 | 1 | 28 | |
| Red-breasted Merganser | | | | 54 | 34 | 147 | 235 | |
| Ruddy Duck | | 64 | 2 | 44 | 58 | 3 | 171 | |
| Ring-necked Pheasant | | | 1 | 5 | | | 6 | |

| | | | | 1 | | 1 | | |
|-------------------------------|----|----|----|----|----|----|----|-------------------------------------|
| Wild Turkey | | | | | | 20 | 20 | |
| Red-throated Loon | | | | 3 | 4 | 12 | 19 | |
| Common Loon | | | | | 1 | 7 | 8 | |
| Pied-billed Grebe | | | 1 | | | 1 | 2 | |
| loon, sp | | | | 1 | | | 1 | |
| Horned Grebe | | | | 8 | | 2 | 10 | |
| Northern Gannet | | | | | | 1 | 1 | |
| Double-crested Cormorant | | | 1 | 12 | 5 | 51 | 69 | |
| Great Cormorant | | | | 12 | 1 | 23 | 36 | |
| Cormorant, sp | | | | | 4 | | 4 | |
| Great Blue Heron | | 2 | 2 | 1 | 5 | 18 | 28 | |
| Black-crowned Night- Heron | | | | 1 | | 1 | 2 | |
| Turkey Vulture | 1 | 2 | | | 1 | 2 | 6 | |
| Bald Eagle | | 1 | | | | | 1 | |
| Northern Harrier | | | | | | 1 | 1 | |
| Sharp-shinned Hawk | 2 | 3 | | 4 | 3 | 2 | 14 | |
| Cooper's Hawk | | 2 | 4 | 3 | 2 | 3 | 14 | |
| Red-shouldered Hawk | | | 1 | | | 1 | 2 | |
| Red-tailed Hawk | 15 | 14 | 17 | 18 | 14 | 14 | 92 | |
| American Kestrel | | 1 | 1 | 1 | | | 3 | |
| Merlin | | | 1 | | 1 | | 2 | |
| Peregrine Falcon | | 2 | 2 | 2 | | 1 | 7 | Ties High Count , 2005 |
| Virginia Rail | | | | | | 4 | 4 | |
| Killdeer | | 2 | CW | | 10 | 4 | 16 | |
| Lesser Yellowlegs | | | | 1 | | | 1 | 9th Count Record, last seen in 1987 |
| Ruddy Turnstone | | | | | | 1 | 1 | |
| Purple Sandpiper | | | | | | 15 | 15 | |
| Dunlin | | | | | | 1 | 1 | |
| Wilson's Snipe | | | | | | 3 | 3 | |
| American Woodcock | | | 1 | | | 1 | 2 | |

| Bonaparte's Gull | | | | | | 37 | 37 | |
|--------------------------|-----|-----|-----|------|-----|-----|------|------------------------------------|
| Ring-billed Gull | 170 | 885 | 995 | 1647 | 728 | 462 | 4887 | |
| Herring Gull | 8 | 126 | 18 | 614 | 107 | 103 | 976 | |
| Great Black-backed Gull | 1 | 14 | 6 | 57 | 16 | 35 | 129 | |
| Rock Pigeon | 41 | 615 | 445 | 145 | 280 | 199 | 1725 | |
| Mourning Dove | 86 | 171 | 355 | 208 | 151 | 311 | 1282 | 32-year high, second highest count |
| Monk Parakeet | | | | 22 | 3 | | 25 | New High Count (19 in 2004) |
| Eastern Screech-Owl | 2 | | | | 1 | | 3 | |
| Great Horned Owl | | | 2 | 3 | | 4 | 9 | |
| Barred Owl | | | | | CW | | CW | |
| Northern Saw-whet Owl | | | | 2 | | | 2 | |
| Rufous Hummingbird | | 1 | | | | | 1 | 2nd count record, seen in 2001 |
| Belted Kingfisher | | 2 | 2 | 3 | 9 | 10 | 26 | |
| Red-bellied Woodpecker | 12 | 21 | 49 | 5 | 37 | 41 | 165 | |
| Yellow-bellied Sapsucker | | | 5 | 1 | 3 | 3 | 12 | |
| Downy Woodpecker | 17 | 25 | 32 | 32 | 28 | 48 | 182 | |
| Hairy Woodpecker | 6 | 8 | 15 | 5 | 9 | 20 | 63 | |
| Northern (Yelsh.)Flicker | 2 | 1 | 7 | | 5 | 10 | 25 | |
| Pileated Woodpecker | 1 | | | | 1 | 1 | 3 | |
| Blue Jay | 68 | 100 | 357 | 134 | 76 | 113 | 848 | |
| American Crow | 49 | 27 | 59 | 40 | 288 | 57 | 520 | |
| Fish Crow | | | 2 | | 25 | 5 | 32 | |
| Black-capped Chickadee | 50 | 49 | 41 | 16 | 89 | 106 | 351 | |
| Tufted Titmouse | 65 | 52 | 125 | 65 | 75 | 104 | 486 | |
| Red-breasted Nuthatch | | | 1 | | 1 | 1 | 3 | |
| White-breasted Nuthatch | 13 | 10 | 17 | 13 | 28 | 44 | 125 | |

| Brown Creeper | | 2 | 2 | | | 1 | 5 | |
|---------------------------------|-----|-----|-----|-----|-----|-----|------|-----------------------------------|
| Carolina Wren | 14 | 18 | 18 | 37 | 27 | 70 | 184 | |
| House Wren | | | | 2 | | | 2 | |
| Winter Wren | 5 | 6 | 2 | | 3 | 21 | 37 | |
| Marsh Wren | | | | 1 | | 1 | 2 | |
| Golden-crowned Kinglet | | | 1 | | 3 | 8 | 12 | |
| Ruby-crowned Kinglet | | | 2 | 4 | 1 | 2 | 9 | |
| Hermit Thrush | 3 | | 5 | 3 | 6 | 11 | 28 | |
| American Robin | 39 | 52 | 310 | 179 | 104 | 270 | 954 | New High Count (830 in 2004) |
| Gray Catbird | 1 | | 3 | 3 | 1 | 4 | 12 | |
| Northern Mockingbird | 18 | 12 | 44 | 16 | 16 | 25 | 131 | |
| Brown Thrasher | | | 1 | 1 | | | 2 | |
| European Starling | 411 | 310 | 754 | 341 | 289 | 266 | 2371 | |
| Cedar Waxwing | 16 | 11 | | 3 | | | 30 | |
| Orange-crowned Warbler | | | CW | 2 | | | 2 | 6th count record, last seen in 03 |
| Nashville Warbler | 1 | | | | | | 1 | 6th count record, last seen in 01 |
| American Redstart | | | 1 | | | | 1 | 2nd count record, seen in 1931 |
| Eastern Towhee | | 1 | | 2 | 1 | 2 | 6 | |
| American Tree Sparrow | 1 | | 2 | 85 | 7 | 80 | 175 | |
| Chipping Sparrow | | 1 | 2 | 1 | | | 4 | |
| Field Sparrow | 7 | | | | | | 7 | |
| Fox Sparrow | 1 | | 9 | 24 | 7 | 10 | 51 | |
| Song Sparrow | 48 | 28 | 81 | 43 | 113 | 155 | 468 | |
| Swamp Sparrow | | 1 | 4 | 2 | 2 | 16 | 25 | |
| White-throated Sparrow | 138 | 232 | 908 | 384 | 241 | 415 | 2318 | |
| White-crowned Sparrow | | | 1 | | | | 1 | |
| Dark-eyed (Slate col.) Junco | 65 | 265 | 404 | 52 | 246 | 192 | 1224 | |
| Dark-eyed Junco | | 1 | | | | | 1 | |
| Northern Cardinal | 52 | 53 | 72 | 48 | 63 | 88 | 376 | |

| Indigo Bunting | | | 1 | | | | 1 | 2nd count record, seen in 1975 |
|----------------------|------------------|---------|---------------|---------------|-----------|------|-------|--------------------------------|
| Red-winged Blackbird | | | 348 | 36 | 38 | 2 | 424 | |
| Rusty Blackbird | | | 24 | | | | 24 | |
| Common Grackle | 4 | | 742 | 1950 | | 1 | 2697 | |
| Brown-headed Cowbird | | | 2 | 1 | | | 3 | |
| Baltimore Oriole | | | 1 | | | | 1 | 11th count record |
| House Finch | 40 | 47 | 92 | 14 | 64 | 49 | 306 | |
| American Goldfinch | 23 | 25 | 78 | 30 | 111 | 107 | 374 | |
| House Sparrow | 223 | 137 | 1152 | 116 | 243 | 351 | 2222 | |
| | | | | | | | | |
| | Hudson Valley | Yonkers | West Bronx | East Bronx | Scarsdale | Rye | | |
| Number of Saves | 2 | 2 | 6 | 5 | 1 | 13 | | |
| Number of Species | 45 | 52 | 70 | 74 | 69 | 91 | 116 | |
| Totals | 1936 | 3784 | 8619 | 18189 | 6478 | 7245 | 46251 | |

Missed Species: Ring-necked Duck, American Coot (last missed in 1988) , Yellow-rumped Warbler, Savannah Sparrow

52 % of the regular occurring species were down 20% or more from their 20 year averages, only 26 % were above and 22% were near their averages.